



ALUTECNOS

THE ULTIMATE FISHING EQUIPMENT





MASTERPIECES FOR THE ART OF FISHING

summary



Gorilla reels 1S

2

Gorilla reels 2S

4

Albacore reels 1S

6

Albacore reels 2S

8



Customize your reel

10

Gorilla 50 2S & 50W 2S

12

Saltwater fly reels

14

Fishing rods

16

Pliers & Covers

18

Belts & harnesses

19

Customer Service

20



reels 1 s Gorilla



FEATURES:

LASER GRAPHICS

ERGONOMIC DESIGN

ONE SPEED SYSTEM

INFINITE ANTIREVERSE

4 STAINLESS STEEL BALL BEARINGS

ALUMINUM ANTICORODAL AL6082

DETAILS IN STAINLESS STEEL AISI 316

MONO DRAG DISC IN CARBON COMPOSITE

AVAILABLE BOTH RIGHT AND LEFT HAND VERSION

AVAILABLE IN 7 DIFFERENT COLORS AND CUSTOMIZED COMBINATIONS

MASTERPIECES FOR THE ART OF FISHING

| CODE | RATIO | MAX DRAG | WEIGHT | LINE CAPACITY |
|---------------------|-------|----------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6V ALG0600V | 6,2:1 | 20 LBS | 22.6 OZ/640 g | 710 yds/650 m 30 LBS Spectra Line \varnothing 0,30 mm 382 yds/350 m 50 LBS Spectra Line \varnothing 0,38 mm 219 yds/200 m 90 LBS Spectra Line \varnothing 0,63 mm 383 yds/350 m 12 LBS Monofilament \varnothing 0,37 mm 240 yds/220 m 20 LBS Monofilament \varnothing 0,47 mm |
| 8V ALG0800V | 6,2:1 | 20 LBS | 24.4 OZ/690 g | 1094 yds/1000 m 30 LBS Spectra Line \varnothing 0,30 mm 492 yds/450 m 50 LBS Spectra Line \varnothing 0,38 mm 300 yds/270 m 90 LBS Spectra Line \varnothing 0,63 mm 550 yds/500 m 12 LBS Monofilament \varnothing 0,37 mm 330 yds/300 m 20 LBS Monofilament \varnothing 0,47 mm |
| 12C ALG1200C | 4,4:1 | 40 LBS | 26.5 OZ/750 g | 547 yds/500 m 50 LBS Spectra Line \varnothing 0,38 mm 328 yds/300 m 90 LBS Spectra Line \varnothing 0,63 mm 547 yds/500 m 12 LBS Monofilament \varnothing 0,37 mm 382 yds/350 m 20 LBS Monofilament \varnothing 0,47 mm |
| 12V ALG1200V | 6,2:1 | 40 LBS | 27.8 OZ/790 g | 765 yds/700 m 50 LBS Spectra Line \varnothing 0,38 mm 875 yds/800 m 12 LBS Monofilament \varnothing 0,37 mm 525 yds/480 m 20 LBS Monofilament \varnothing 0,47 mm |
| 20 ALG2000A | 4,4:1 | 45 LBS | 31.4 OZ/890 g | 1094 yds/1000m 50 LBS Spectra Line \varnothing 0,38 mm 546 yds/500m 90 LBS Spectra Line \varnothing 0,63 mm 985 yds/900m 20 LBS Monofilament \varnothing 0,47 mm 437 yds/400m 30 LBS Monofilament \varnothing 0,57 mm |
| 20V ALG2000V | 6,2:1 | 45 LBS | 31.7 OZ/900 g | 1094 Yds/1000m 50 LBS Spectra Line \varnothing 0,38 mm 546 Yds/500m 90 LBS Spectra Line \varnothing 0,63 mm 985 Yds/900m 20 LBS Monofilament \varnothing 0,47 mm 437 Yds/400m 30 LBS Monofilament \varnothing 0,57 mm |



reels 2 s Gorilla



FEATURES:

LASER GRAPHICS

ERGONOMIC DESIGN

TWO SPEED SYSTEM

INFINITE ANTIREVERSE

ALUMINUM ANTICORODAL AL6082

5 STAINLESS STEEL BALL BEARINGS

DETAILS IN STAINLESS STEEL AISI 316

MULTI DRAG DISC IN CARBON COMPOSITE

AVAILABLE BOTH RIGHT AND LEFT HAND VERSION

AVAILABLE IN 7 DIFFERENT COLORS AND CUSTOMIZED COMBINATIONS

MASTERPIECES FOR THE ART OF FISHING

| CODE | | RATIO | MAX DRAG | WEIGHT | LINE CAPACITY |
|-----------------|----------|----------------|----------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 20V_2S | ALT2000G | 6,5:1 3,4:1 | 45 LBS | 43,7 OZ/1240 g | 1094 yds/1000m 50 LBS Spectra Line \varnothing 0,30 mm 546 yds/500m 90 LBS Spectra Line \varnothing 0,63 mm 985 yds/900m 20 LBS Monofilament \varnothing 0,47 mm 437 yds/400 30 LBS Monofilament \varnothing 0,57 mm |
| 20V/W_2S | ALT2500G | 6,5:1 3,4:1 | 45 LBS | 44.7 OZ/1267 g | 765 yds/700m 90 LBS Spectra Line \varnothing 0,63 mm 656 yds/600m 30 LBS Monofilament \varnothing 0,57 mm |
| 30 2S | ALT3000G | 3,3:1 1,7:1 | 50 LBS | 61.0 OZ/1730 g | 765 yds/700m 90 LBS Spectra Line \varnothing 0,63 mm 820 yds/750m 30 LBS Monofilament \varnothing 0,57 mm 437 yds/400m 50 LBS Monofilament \varnothing 0,68 mm |
| 30W 2S | ALT3500G | 3,3:1 1,7:1 | 50 LBS | 62.2 OZ/1765 g | 985 yds/900 m 90 LBS Spectra Line \varnothing 0,63 mm 1.038 yds/950 m 30 LBS Monofilament \varnothing 0,57 mm 525 yds/480 m 50 LBS Monofilament \varnothing 0,68 mm |
| 50 2S | ALT5000G | 3,3:1 1,7:1 | 55 LBS | 73.3 OZ/2080 g | 930 yds/850 m 90 LBS Spectra Line \varnothing 0,63 mm 820 yds/750 m 50 LBS Monofilament \varnothing 0,68 mm 438 yds/400 m 80 LBS Monofilament \varnothing 0,85 mm |
| 50W 2S | ALT5500G | 3,3:1 1,7:1 | 55 LBS | 76.5 OZ/2170 g | 1.150 yds/1050 m 90 LBS Spectra Line \varnothing 0,63 mm 1.038 yds/950 m 50 LBS Monofilament \varnothing 0,68 mm 525 yds/480 m 80 LBS Monofilament \varnothing 0,85 mm |



reels *Albacore*



FEATURES:

LASER GRAPHICS

ONE SPEED SYSTEM

ERGONOMIC DESIGN

INFINITE ANTIREVERSE

ALUMINUM ANTICORODAL AL6082

4 STAINLESS STEEL BALL BEARINGS

DETAILS IN STAINLESS STEEL AISI 316

MONO DRAG DISC IN CARBON COMPOSITE

AVAILABLE BOTH RIGHT AND LEFT HAND VERSION

AVAILABLE IN 7 DIFFERENT COLORS AND CUSTOMIZED COMBINATIONS

MASTERPIECES FOR THE ART OF FISHING

| | CODE | RATIO | MAX DRAG | WEIGHT | LINE CAPACITY |
|----------------------|----------|-------|----------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 12 | AL01200A | 4,0:1 | 20 LBS | 24.7 OZ/700 g | 875 yds/800m 50 LBS Spectra Line \varnothing 0,38 mm 984 yds/900m 12 LBS Monofilament \varnothing 0,37 mm 580 yds/530m 20 LBS Monofilament \varnothing 0,47 mm |
| 12 veloce | ALV1200B | 6,2:1 | 25 Lbs | 27.5 OZ/780 g | 875 yds/800m 50 LBS Spectra Line \varnothing 0,38 mm 437 yds/400m 90 LBS Spectra Line \varnothing 0,63 mm 984 yds/900m 12 LBS Monofilament \varnothing 0,37 mm 580 yds/530m 20 LBS Monofilament \varnothing 0,47 mm |
| 20 | AL02000A | 4,0:1 | 22.5 LBS | 28.2 OZ/800 g | 984 yds/900m 20 LBS Monofilament \varnothing 0,47 mm 437 yds/400m 30 LBS Monofilament \varnothing 0,57 mm |
| 20 veloce | ALV2000B | 6,2:1 | 22.5 LBS | 29.2 OZ/830 g | 984 yds/900m 20 LBS Monofilament \varnothing 0,47 mm 437 yds/400m 30 LBS Monofilament \varnothing 0,57 mm |
| 30 | AL03000A | 3,3:1 | 27 LBS | 53.0 OZ/1500 g | 601 yds/550m 30 LBS Monofilament \varnothing 0,57 mm 405 yds/370m 50 LBS Monofilament \varnothing 0,68 mm |
| 30/50 | AL03500A | 3,3:1 | 27 LBS | 54.3 OZ/1540 g | 820 yds/750m 30 LBS Monofilament \varnothing 0,57 mm 525 yds/480m 50 LBS Monofilament \varnothing 0,68 mm |
| 50 | AL05000A | 3,3:1 | 33 LBS | 65.0 OZ/1840 g | 875 yds/800m 50 LBS Monofilament \varnothing 0,68 mm 547 yds/500m 80 LBS Monofilament \varnothing 0,85 mm |
| 50/80 | AL05500A | 3,3:1 | 33 LBS | 68.0 OZ/1930 g | 1094 yds/1000m 50 LBS Monofilament \varnothing 0,68 mm 656 yds/600m 80 LBS Monofilament \varnothing 0,85 mm |
| 80 | AL08000A | 2,8:1 | 44 LBS | 97.0 OZ/2750 g | 984 yds/900m 80 Lbs Monofilament \varnothing 0,85 mm |
| 80/130 | AL08500A | 2,8:1 | 44 LBS | 102.0 OZ/2900 g | 1203 yds/1100m 80 LBS Monofilament \varnothing 0,85 mm |



reels 2s *Albacore*



FEATURES:

LASER GRAPHICS

ERGONOMIC DESIGN

TWO SPEED SYSTEM

INFINITE ANTIREVERSE

ALUMINUM ANTICORODAL AL6082

5 STAINLESS STEEL BALL BEARINGS

DETAILS IN STAINLESS STEEL AISI 316

MONO DRAG DISC IN CARBON COMPOSITE

AVAILABLE BOTH RIGHT AND LEFT HAND VERSION

AVAILABLE IN 7 DIFFERENT COLORS AND CUSTOMIZED COMBINATIONS

MULTI DRAG DISC IN CARBON COMPOSITE ONLY FOR 130 2S MODEL

MASTERPIECES FOR THE ART OF FISHING

| CODE | RATIO | MAX DRAG | WEIGHT | LINE CAPACITY |
|-----------------|----------------|----------|-----------------|--------------------------------------------------------------------------------------------------------------------|
| 30 2S ALT3000A | 3,3:1 1,7:1 | 27 LBS | 56.8 OZ/1610 g | 601 yds/550m 30 Lbs Monofilament \varnothing 0,57 mfm 405 yds/370m 50 Lbs Monofilament \varnothing 0,68 mm |
| 30W 2S ALT3500A | 3,3:1 1,7:1 | 27 LBS | 58.2 OZ/1650 g | 765 yds/700m 30 Lbs Monofilament \varnothing 0,57 mm 525 yds/480m 50 Lbs Monofilament \varnothing 0,68 mm |
| 50 2S ALT5000A | 3,3:1 1,7:1 | 33 LBS | 70.0 OZ/1980 g | 875 yds/800m 50 LBS Monofilament \varnothing 0,68 mm 547 yds/500m 80 LBS Monofilament \varnothing 0,85 mm |
| 50W 2S ALT5500A | 3,3:1 1,7:1 | 33 LBS | 73.0 OZ/2070 g | 1094 yds/1000m 50 LBS Monofilament \varnothing 0,68 mm 656 yds/600m 80 LBS Monofilament \varnothing 0,85 mm |
| 80 2S ALT8000A | 3,0:1 1,4:1 | 44 LBS | 103.3 OZ/2930 g | 985 yds/900m 80 LBS Monofilament \varnothing 0,85 mm |
| 80W 2S ALT8500A | 3,0:1 1,4:1 | 44 LBS | 117.3 OZ/3327 g | 1203 yds/1100m 80 LBS Monofilament \varnothing 0,85 mm |
| 130 2S ALT1300A | 2,2:1 1,1:1 | 65 LBS | 167.6 OZ/4750 g | 930 yds/850m 130 LBS Monofilament \varnothing 1,20 mm |



customize your reel

1. Choose your reel.
2. Choose one of the 5 combinations of the next page.
3. Choose the color(s) you prefer from the list below: 2 colors for combinations 1-2-3-4;
4. colors you prefer for combinations 5;
5. Communicate your choice when ordering!
6. Choose to include a free laser engraving on the sideplate by sending, along with your order, your logo in .jpg or .pdf format.



how to order

COMBINATION 1-2-3-4

Order online at www.alutecnos.it:

fill the form in the customization section.

Order by reseller:

indicate the number of the combination and the colors you choose as the following example:

Combination 3: colour 1 blue, colour 2 black.

COMBINATION 5

Indicate the items to be customized as coded on the next page.

IMPORTANT

The reels of the Gorilla series and the Albacore series may differ for some details for which the coding may undergo variations. We invite you to always refer to the coding on the personalization form at www.alutecnos.com/services/customization

The colors shown in the above table are purely indicative, as slight variations in color are to be considered a normal characteristic of the production process.

Customized reels require a longer delivery time.

combination 1



combination 2



combination 3



combination 4




combination 5

Free combination!

*You can order the parts you want of the color you prefer,
using the following coding.*

- | | |
|----|--------------------------------------------------------|
| 1 | Flangia Lato Ingranaggi <i>Right Side Plate</i> |
| 2 | Flangia Lato Frizione <i>Left Side Plate</i> |
| 3 | Leva Frizione <i>Drag Lever</i> |
| 15 | Ghiera Pre-Set <i>Pre-Set Knob</i> |
| 24 | Selettore Cicala <i>Buzzer Control</i> |
| 29 | Distanziale <i>Spacer</i> |
| 33 | Leva Azionamento <i>Crank Assembly</i> |
| 38 | Impugnatura <i>Knob Assembly</i> |
| 44 | Telaio <i>Frame</i> |
| 47 | Rocchetto <i>Spool</i> |
| 75 | Blocchetto Gruppo Pulsanti <i>Push Button Plate</i> |





Gorilla 50 2S & 50W 2S

Our Latest Innovation

Features:

Laser graphics

Multi disc drag

Ergonomic design

Infinite anti-reverse

5 stainless steel ball bearings

Aluminum anti-corodal AL6082

Two speed system, Ratio= 3.3:1 - 1.7:1

Available in both right and left hand versions

Power drag setting: More than 55 lbs with free spool

Available in 7 different colors and customized combinations

Gorilla

50 2S

50W 2S



The NEW Alutecnos Gorilla 50 2-speed and 50 wide 2-speed Albacore reels are compact, ergonomic, and powerful, with a built-in two-speed mechanism that sports a 3.3:1/1.7:1 recovery ratio. The technology built into these new models will help you take on any big-game giant the ocean has to offer. The Gorilla 50 2S and 50W 2S have integrated drag-preset dials and a clutch flange that is ergonomically designed for maximum comfort during the most strenuous fights. The reel's dual drag discs are capable of producing over 55 Lbs. of drag with a guaranteed free spool. A recessed and extended crank lever, combined with an ergonomic aluminum handle, allow you to generate maximum power and take full advantage of the advanced two-speed system.

Line capacity Gorilla 50 2S
820 Yds/750 m 50 Lbs
monofilament 438 Yds 400 m 80
Lbs monofilament 930 Yds/ 850
m 90 Lbs spectra line Weight 50
2S: 73.3 OZ/ 2080 g









Line capacity Gorilla 50W 2S
1.038 Yds/ 950 m 50 Lbs
monofilament 525 Yds/ 480 m 80
Lbs monofilament 1.150 Yds/ 1050
m 90 Lbs spectra line Weight 50W
2S: 76.5 OZ/ 2170 g

 **ALUTECNOS**
THE ULTIMATE BIG GAME FISHING EQUIPMENT



SALTWATER FLY REELS

| CODE | CLASS | LINE CAPACITY M/YD | WEIGHT |
|----------|------------------|---------------------------------------|---------------|
| SFR060XD | 60 DIRECT DRIVE | 138 m/150 yds - 20 LBS MICRON - WF6F | 212 g/7,5 OZ |
| SFR080XD | 80 DIRECT DRIVE | 183 m/200 yds - 20 LBS MICRON - WF8F | 240 g/8,5 OZ |
| SFR100XD | 100 DIRECT DRIVE | 183 m/200 yds - 30 LBS MICRON - WF10F | 269 g/9,5 OZ |
| SFR120XD | 120 DIRECT DRIVE | 275 m/300 yds - 30 LBS MICRON - WF12F | 310 g/11,0 OZ |

| COLORI | COLORS |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| black  | black  |
| red  | red  |
| silver  | silver  |
| gun metal  | gun metal  |
| blue  | blue  |
| green  | green  |
| gold  | gold  |





GORILLA RODS



ALBACORE RODS TROLLING



ALBACORE RODS STAND-UP

Gorilla

rods series

| CODE | CLASS | FEATURES | LENGHT MM/FT |
|----------|-----------|-------------|--------------|
| FRG006SA | 6/12 LBS | Fuji Guides | 2000/6.6' |
| FRG012SA | 12/20 LBS | Fuji Guides | 2000/6.6' |
| FRG020SA | 20/30 LBS | Fuji Guides | 2000/6.6' |

Albacore rods

trolling

| CODE | CLASS | FEATURES | LENGHT MM/FT |
|----------|---------|-------------------------------------|--------------|
| FR0020GA | 20 LBS | Alutecnos removable rollers 5+top | 2040/6.7' |
| FR0030GA | 30 LBS | Alutecnos removable rollers 5+top | 2080/6.8' |
| FR0050GA | 50 LBS | Alutecnos removable rollers 5+top | 2100/6.9' |
| FR0080GA | 80 LBS | Alutecnos removable rollers 5+top | 2180/7.2' |
| FR0130GA | 130 LBS | Alutecnos removable rollers 5+top | 2180/7.2' |

Albacore rods

stand-up

| CODE | CLASS | FEATURES | LENGHT MM/FT |
|----------|------------|-----------------------------------------------|--------------|
| FR0010SA | 20/30 LBS | Alutecnos removable rollers 5+top | 1760/5.7' |
| FR0020SA | 20/50 LBS | Alutecnos removable rollers 5+top | 1780/5.8' |
| FR0030SA | 30/50 LBS | Alutecnos removable rollers 5+top | 1800/5.9' |
| FR0040SA | 40/80 LBS | Alutecnos removable rollers 5+top | 1800/5.9' |
| FR0050SA | 50/80 LBS | Alutecnos removable rollers 5+top | 1800/5.9' |
| FR0080SA | 80/130 LBS | Alutecnos removable rollers 5+top | 1830/6.0' |
| FRB006SA | 6/20 LBS | Silicon Carbide Guides + Alutecnos roller top | 1750/5.7' |
| FRB020SA | 20/50 LBS | Silicon Carbide Guides + Alutecnos roller top | 1750/5.7' |
| FRA006SA | 6/20 LBS | Silicon Carbide Guides | 1750/5.7' |
| FRA012SA | 12/30 LBS | Silicon Carbide Guides | 1750/5.7' |
| FRA020SA | 20/50 LBS | Silicon Carbide Guides | 1750/5.7' |

COVERS



| CODE | FEATURES | WEIGHT G/OZ |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| RC00800A | Custodia in neoprene taglia XS <i>Neoprene reel cover size XS</i> 6-8 LBS class GORILLA 6V, 8V | 35/1,2 |
| RC01200A | Custodia in neoprene taglia S <i>Neoprene reel cover size S</i> 12-20 LBS class GORILLA 12, 12C, 12V, 20, 20V, 20V_2S, 20W/V_2S ALBACORE 12, 12 VELOCE, 20, 20 VELOCE | 51/1,8 |
| RC03000A | Custodia in neoprene taglia M <i>Neoprene reel cover size M</i> 30-30/50 LBS class GORILLA 30 2S, 30W 2S ALBACORE 30, 30/50, 30 2S, 30W 2S | 71/2,5 |
| RC05000A | Custodia in neoprene taglia L <i>Neoprene reel cover size L</i> 50-50/80 LBS class ALBACORE 50, 50/80, 50 2S, 50W 2S | 100/3,5 |
| RC08000A | Custodia in neoprene taglia XL <i>Neoprene reel cover size XL</i> 80-80/130 LBS class ALBACORE 80, 80/130, 80 2S, 80W 2S | 130/4,6 |
| RC13000A | Custodia in neoprene taglia XXL <i>Neoprene reel cover size XXL</i> 130 LBS class ALBACORE 130 2S | 150/5,3 |

MAKO PLIERS



PZM3000A



PZM1001A



PZM1000A

CODE
PZM1000A
PZM1001A
PZM3000A

MODEL
Pinza in alluminio Mako | *Mako aluminum pliers*
Ganasce di ricambio (coppia) | *Gripping jaws (pair)*
Custodia in pelle con cordicella di sicurezza | *Leather sheath with lanyard*

BELTS & HARNESSSES

| CODE | FEATURES | WEIGHT G/OZ |
|----------|-------------------------------------------------------------------|-------------|
| PNS1000A | Pancerina portacanna <i>Fighting belt</i> | 650/23.0 |
| PNS2000A | Pancerina portacanna per Stand-Up <i>Stand-up fighting belt</i> | 1330/47.1 |

| CODE | FEATURES | WEIGHT G/OZ |
|----------|---------------------------------------------------------------------|-------------|
| SGM0100A | Giubbino renale <i>Fighting jacket</i> | 800/28.2 |
| SGM0200A | Cintura renale <i>Fighting harness</i> | 630/22.2 |
| SGM0300A | Cintura renale con seduta The Pro <i>Fighting harness The Pro</i> | 950/39,0 |



SGM0300A



SGM0100A



PNS2000A



PNS1000A



SGM0200A

customer service

Alutecnos is internationally recognized as one of the leading producers of reels for sport fishing

Alutecnos offers its customers expert advice on gear selection, based on their specific needs and fishing situation.

Our experienced customer service representatives are available to answer your questions, clarify information, and assist you with your purchase.

PANDORA HOLDING GROUP INC*



2144 NW 7th Avenue | 33127



Miami | FL 305 964 8092



sales@bluefinusa.com



www.alutecnos.com

**REFERENCE FOR USA AND SOUTH AMERICA*

*To find the nearest retailer from the Alutecnos website visit:
www.alutecnos.com/alutecnos-point*



MASTERPIECES FOR THE ART OF FISHING



ALUTECNOS®

THE ULTIMATE BIG-GAME FISHING EQUIPMENT



made in Italy

Via Umbria, 20 - 35043 Monselice (PD) - Italy - Tel +39 0429 783355 - Fax +39 0429 75380
www.alutecnos.it - info@alutecnos.it - facebook.com/alutecnos - instagram.com/alutecnos_official